

ANALGESICS, OPIOID LONG-ACTING PRIOR AUTHORIZATION FORM (form effective 1/6/2025)

FAX this completed form to (844) 205-3386

OR Mail requests to: Pharmacy Department | 5 River Park Place East, Suite 210 | Fresno, CA 93720 OR Prior authorization may be completed at https://www.covermymeds.com/main/prior-authorization-forms/

Prior authorization guidelines for Analgesics, Opioid Long-Acting and Quantity Limits/Daily Dose Limits are available on the PA Health & Wellness website at https://www.pahealthwellness.com/providers/pharmacy.html

Prescriber name:

☐New request	Renewal request	# of pages:	-				
Name of office contact:			Specialty:				
Contact's phone number:			NPI:		State license #:		
LTC facility contact/phone:			Street address:				
Member name:			City/state/zip:				
Member ID#:		DOB:	Phone:		Fax:		
CLINICAL INFORMATION							
Drug requested:			Strength:	Formulation (capsule, tablet, etc.):			
Directions:				Weight	(if <21 years of age):		
Quantity per fill: to last			days	Requested duration:			
Diagnosis (submit documentation):				Dx code (<u>required</u>):			
Pennsylvania law requires prescribers to query the <u>PA PDMP</u> each time a patient is prescribed an opioid drug product or benzodiazepine.							
 Naloxone is available at Pennsylvania pharmacies via standing order from the Secretary of the Department of Health. Pennsylvania Medical Assistance beneficiaries may obtain naloxone <u>free-of-charge</u> through their prescription drug benefit. 							
Complete all sections that apply to the member and this request. Check all that apply and submit documentation for each item.							
INITIAL requests							
 For a non-preferred Analgesic, Opioid Long-Acting (See the Preferred Drug List for the list of preferred and non-preferred Analgesics, Opioid Long-Acting at: https://papdl.com/preferred-drug-list):							
For a non-preferred product containing <u>tramadol</u> : Tried and failed or has a contraindication or an intolerance to the preferred Analgesics, Opioid Long-Acting containing <u>tramadol</u> :							
☐For all other non-preferred Analgesics, Opioid Long-Acting:							



	☐ Tried and failed or has a contraindication or an intolerance to the preferred Analgesics, Opioid Long-Acting:
2.	For a member with a concurrent prescription for a buprenorphine agent indicated for the treatment of opioid use disorder (OUD) OR Vivitrol (naltrexone extended-release suspension for injection): Both prescriptions are prescribed by the same prescriber Prescriptions are prescribed by different prescribers and all prescribers are aware of the other prescription(s) Not applicable – member is not taking a buprenorphine agent indicated for the treatment of OUD or Vivitrol
3.	For all Analgesics, Opioid Long-Acting: Has a diagnosis of active cancer, sickle cell with crisis, or neonatal abstinence syndrome Is receiving palliative care or hospice services Has documentation of pain that is all of the following: Caused by a medical condition Not migraine in type Severe Tried and failed or has a contraindication or an intolerance to non-opioid analgesics appropriate for the member's condition: acetaminophen duloxetine (e.g., Cymbalta, Drizalma): gabapentinoids (e.g., gabapentin, pregabalin [Lyrica]): NSAIDs (e.g., ibuprofen, naproxen, meloxicam, etc.): tricyclic antidepressants (e.g., amitriptyline, nortriptyline, etc.):
	Has documentation of a trial of short-acting opioids (does NOT apply to requests for a buprenorphine product) Is opioid-tolerant (for adults, is defined as taking at least morphine 60 mg/day, transdermal fentanyl 25 mcg/hour, oxycodone 30 mg/day, oral hydromorphone 8 mg/day, or an equianalgesic dose of another opioid for one week or longer) (does NOT apply to requests for a buprenorphine product) Was assessed by the prescriber for the potential risk of opioid misuse or opioid use disorder Has results of a recent urine drug screen (UDS) testing for licit and illicit drugs with the potential for abuse, including specific testing for oxycodone, fentanyl, buprenorphine, and tramadol, that is consistent with prescribed controlled substances
4.	For a member with a concurrent prescription for a benzodiazepine: The benzodiazepine is being tapered The opioid is being tapered Concomitant use of the benzodiazepine and opioid is medically necessary: Not applicable – member is not taking a benzodiazepine
	RENEWAL requests
1.	For <u>all</u> Analgesics, Opioid Long-Acting: Has a diagnosis of active cancer, sickle cell with crisis, or neonatal abstinence syndrome Is receiving palliative care or hospice services Experienced an improvement in pain control and/or level of functioning while on the requested medication Has results of a recent urine drug screen (UDS) testing for licit and illicit drugs with the potential for abuse, including specific testing for oxycodone, fentanyl, buprenorphine, and tramadol, at least every 12 months that is consistent with prescribed controlled substances
2.	For a member with a concurrent prescription for a benzodiazepine: The benzodiazepine is being tapered The opioid is being tapered Concomitant use of the benzodiazepine and opioid is medically necessary: Not applicable – member is not taking a benzodiazepine

PLEASE <u>FAX</u> COMPLETED FORM WITH <u>REQUIRED CLINICAL DOCUMENTATION</u> TO 844-205-3386



Prescriber Signature:	Date:

Confidentiality Notice: The documents accompanying this telecopy may contain confidential information belonging to the sender. The information is intended only for the use of the individual named above. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any telecopy is strictly prohibited. Pharmacy Department will respond via fax or phone within 24 hours.

Requests for prior authorization (PA) requests must include member name, ID#, and drug name. Please include lab reports with requests when appropriate (e.g., Culture and Sensitivity; Hemoglobin A1C; Serum Creatinine; CD4; Hematocrit; WBC, etc.)