

#### **Prior Authorization Review Panel**

#### **CHC-MCO Policy Submission**

A separate copy of this form must accompany each policy submitted for review. Policies submitted without this form will not be considered for review.

Plan: PA Health & Wellness	Submission Date: 02/01/2025	
Policy Number: PA.CP.PHAR.181	Effective Date: 01/01/2018 Revision Date: 01/2025	
Policy Name: Hemin (Panhematin)		
Type of Submission – <u>Check all that apply</u> :		
<ul><li>□ New Policy</li><li>✓ Revised Policy*</li></ul>		
<ul> <li>☐ Annual Review - No Revisions</li> <li>☐ Statewide PDL - Select this box when submitting policies for when submitting policies for drug classes included on the Statement of t</li></ul>		
*All revisions to the policy <u>must</u> be highlighted using track changes throughout the document.		
Please provide any changes or clarifying information for the policy below:		
1Q 2025 annual review: no significant changes; references reviewed and updated.		
Name of Authorized Individual (Please type or print):	ignature of Authorized Individual:	
Craig A. Butler, MD MBA	Cray G. B. Co	



### **Clinical Policy: Hemin (Panhematin)**

Reference Number: PA.CP.PHAR.181

Effective Date: 01/2018 Last Review Date: 01/2025

#### **Description**

Hemin for injection (Panhematin®) is an enzyme inhibitor derived from processed red blood cells.

#### FDA Approved Indication(s)

Panhematin is indicated for amelioration of recurrent attacks of acute intermittent porphyria (AIP) temporarily related to the menstrual cycle in susceptible women, after initial carbohydrate therapy is known or suspected to be inadequate.

#### Limitation(s) of use:

- Before administering Panhematin, consider an appropriate period of carbohydrate loading (i.e., 400 g glucose/day for 1 to 2 days).
- Attacks of porphyria may progress to a point where irreversible neuronal damage has occurred. Panhematin therapy is intended to prevent an attack from reaching the critical stage of neuronal degeneration. Panhematin is not effective in repairing neuronal damage.

#### Policy/Criteria

It is the policy of PA Health & Wellness <sup>®</sup> that Panhematin is **medically necessary** when one of the following criteria is met:

#### **A. Acute Porphyria** (must meet all):

- 1. Diagnosis of acute porphyria (i.e. acute intermittent porphyria [AIP], variegate porphyria [VP], or hereditary coproporphyria [HCP]) confirmed by both of the following (a or b):
  - a. Presence of clinical symptoms (e.g. abdominal pain, pain in chest, legs or back, peripheral neuropathy, hyponatremia, tachycardia, sweating, tremor, dysuria, incontinence, constipation, nausea, vomiting);
  - b. History of at least a four-fold increase of 5-aminolevulinic acid (ALA) or porphobilinogen (PBG) using a random urine sample within the past year (*see Appendix D*);
- 2. Age  $\geq$  16 years;
- 3. Documentation of member's current body weight (in kg);
- 4. Prescribed dose does not exceed 6 mg/kg in any 24-hour period.

**Approval duration: 14 days** 

**B. Other diagnoses/indications:** Refer to PA.CP.PMN.53

#### **II. Continued Approval**

#### **A. Acute Porphyria** (must meet all):

1. Previously received medication via PA Health & Wellness benefit or member has previously met initial approval criteria or the Continuity of Care Policy (PA.PHARM.01) applies;



- 2. Member is responding positively to therapy;
- 3. Documentation of member's current body weight (in kg);
- 4. If request is for a dose increase, new does not exceed 6 mg/kg in any 24-hour period.

#### Approval duration: Up to 14 days

#### **B.** Other diagnoses/indications (must meet 1 or 2):

- 1. Currently receiving medication via PA Health & Wellness benefit and documentation supports positive response to therapy or the Continuity of Care Policy (PA.PHARM.01) applies; or
- 2. Refer to PA.CP.PMN.53

#### III. Appendices/General Information

Appendix A: Abbreviation/Acronym Key

AIP: acute intermittent porphyria HCP: hereditary coproporphyria

ALA: 5-aminolevulinic acid PBG: prophobilinogen FDA: Food and Drug Administration VP: variegate porphyria

*Appendix B: Therapeutic Alternatives*Not applicable

Appendix C: Contraindications/Boxed Warnings

- Contraindication(s): known hypersensitivity to Panhematin
- Boxed warning(s): none reported

#### Appendix D: ALA and PBG Laboratory Testing

Concentrations of ALA or PBG in a random urine sample greater than four times the upper limit of normal establish the diagnosis of AHP (Wang 2019). Variations in reference ranges and reporting (e.g., with or without creatinine correction) may differ across U.S. laboratories; however, four times the upper limit of normal based on a random urine sample remains an appropriate evaluative tool.

#### Examples of laboratory reporting variations:\*

\*ALA/PBG values below are chosen for demonstration purposes only and do not reflect actual required values.

- Corrected for creatinine:\*
  - \*Additional units applicable here include mg/mmol creatinine.
  - o ALA = 38 mg/g creatinine (reference range 0-7 mg/g creatinine);
  - o PBG = 85 mg/g creatinine (reference range 0-4 mg/g creatinine).
  - See Wang et al (2019) for additional information.
- Uncorrected for creatinine:\*
  - \*Additional units applicable here include mcmol/L.
  - o ALA = 40 mg/L (reference range 0.0-5.4 mg/L);
  - $\circ$  PBG = 90 mg/L (reference range 0.0-2.0 mg/L).

See LabCorp (www.labcorp.com) and Mayo Medical Laboratories (www.mayoclinicalabs.com) testing information for additional information.

Wang B, Rudnick S, Cengia B, Bonkovsky HL. Acute hepatic porphyrias: Review and recent progress. Hepatology Communications, 2019; 3(2): 193:206.



IV. Dosage and Administration

Indication	Dosing Regimen	<b>Maximum Dose</b>
Amelioration of	1 to 4 mg/kg/day IV for 3 to 14 days based	6 mg/kg in any 24-
recurrent attacks of	on the clinical signs. The standard dose in	hour period.
acute intermittent	clinical practice is 3 to 4 mg/kg/day.	
porphyria		
	Repeat dose in more severe cases no earlier	
	than every 12 hours. Do not exceed 6 mg/kg	
	in any 24-hour period.	

#### V. Product Availability

Single-dose lyophilized powder vial: 350 mg

#### VI. References

- 1. Panhematin. Prescribing Information. Lebanon, NJ: Recordati Rate Disease, Inc. January 2024. Available at https://www.panhematin.com/pdf/Panhematin-Prescribing-Information-Current.pdf. Accessed October 18, 2024.
- 2. Stein P, Badminton M, Barth J et al. Best practice guidelines on clinical management of acute attacks of porphyria and their complications. Ann Clin Biochem. 2013 May;50(Pt 3):217-23. doi: 10.1177/0004563212474555.
- 3. Balwani M, Wang B, Anderson KE, et al. Acute hepatic porphyrias: Recommendations for Evaluation and Long Term Management. Hepatology 2017; 66(4):1314-1322.
- 4. Anderson KE, Bloomer JR, Bonkovsky HL, et al. Recommendations for the diagnosis and treatment of the acute porphyrias. *Ann Intern Med.* 2005; 142:439-450.
- 5. Wang B, Bonkovsky HL, Lim JK, and Balwani M. AGA Clinical practice update on diagnosis and management of acute hepatic porphyrias: Expert review. Gastroenterology 2023;164:484-491.

#### **Coding Implications**

The following codes are for informational purposes only. They are current at time of review of this policy. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

HCPCS Codes	Description
J1640	Injection, hemin, 1 mg

Reviews, Revisions, and Approvals	Date
Ages added. References reviewed and updated.	02/2018
1Q 2019 annual review: continued approval duration updated to "up to" 14 days; references reviewed and updated.	01/2019
1Q 2020 annual review: references reviewed and updated.	01/2020
1Q 2021 annual review: references reviewed and updated.	01/2021
1Q 2022 annual review: added requirement for documentation of member's weight for dose calculation purposes, as a previously Corporate	01/2022



Reviews, Revisions, and Approvals	Date
P&T-approved approach to ensure appropriate dosing; references	
reviewed and updated.	
1Q 2023 annual review: required labs for diagnosis of porphyria revised	01/2023
to align with Givlaari (PA.CP.PHAR.457); added Appendix D ALA and	
PBG Laboratory Testing; references reviewed and updated.	
1Q 2024 annual review: no significant changes; references reviewed and	01/2024
updated.	
1Q 2025 annual review: no significant changes; references reviewed and	01/2025
updated.	