CLINICAL POLICY Sipuleucel-T



Clinical Policy: Sipuleucel-T (Provenge)

Reference Number: PA.CP.PHAR.120

Effective Date: 01/2018 Last Review Date: 04/2024

Description

Sipuleucel-T (Provenge[®]) is an autologous cellular immunotherapy.

FDA Approved Indication(s)

Provenge is indicated for the treatment of asymptomatic or minimally symptomatic metastatic castrate-resistant (hormone-refractory) prostate cancer (CRPC).

Policy/Criteria

It is the policy of PA Health & Wellness that Provenge is **medically necessary** when one of the following criteria are met:

I. Initial Approval Criteria

A. Prostate Cancer (must meet all):

- 1. Diagnosis of metastatic CRPC, as evidenced by disease progression despite bilateral orchiectomy or other androgen deprivation therapy (*see Appendix D*);
- 2. Member is asymptomatic or minimally symptomatic;
- 3. Prescribed by or in consultation with an oncologist or urologist;
- 4. Age \geq 18 years;
- 5. Member does not have visceral disease (e.g., lung, liver, adrenal, peritoneal, or brain metastases);
- 6. Member has an estimated life expectancy of > 6 months;
- 7. Member's Eastern Cooperative Oncology Group (ECOG) performance status is 0 or 1:
- 8. Member will use a gonadotropin-releasing hormone (GnRH) analog concurrently or has had a bilateral orchiectomy;
- 9. Member has not received \geq 3 doses (infusions) of Provenge.

Approval Duration: 6 months (up to a total of 3 doses)

B. Other diagnoses/indications: Refer to PA.CP.PMN.53

II. Continued Approval

A. Prostate Cancer (must meet all):

- 1. Currently receiving medication via PA Health & Wellness benefit or member has previously met all initial approval criteria or the Continuity of Care Policy (PA.LTSS.PHAR.01) applies;
- 2. Member is responding positively to therapy;
- 3. Member continues to use a gonadotropin-releasing hormone (GnRH) analog concurrently or has had a bilateral orchiectomy;
- 4. Member has not received ≥ 3 doses (infusions) of Provenge.

Approval Duration: 6 months (up to a total of 3 doses)

CLINICAL POLICY Sipuleucel-T



B. Other diagnoses/indications (must meet 1 or 2):

1. Currently receiving medication via PA Health & Wellness benefit and documentation supports positive response to therapy or the Continuity of Care Policy (PA.LTSS.PHAR.01) applies; or

Approval duration: 8 weeks;

or

2. Refer to PA.CP.PMN.53

III. Appendices/General Information

Appendix A: Abbreviation/Acronym Key FDA: Food and Drug Administration CRPC: castration-resistant prostate cancer

Appendix B: Therapeutic Alternatives

Not applicable

Appendix C: Contraindications/Boxed Warnings None reported

Appendix D: General Information

- CRPC is prostate cancer that progresses clinically, radiographically, or biochemically despite castrate levels of serum testosterone (< 50 ng/dL). Per the NCCN, androgen deprivation therapy should be continued in the setting of CRPC while additional therapies are applied.
- Examples of androgen deprivation therapy include:
 - Luteinizing hormone-releasing hormone (LHRH) given with or without an antiandrogen:
 - LHRH agonists: Zoladex[®] (goserelin), leuprolide (Lupron Depot[®], Eligard[®]), and Trelstar[®] (triptorelin)
 - Anti-androgens: bicalutamide (Casodex®), flutamide (Eulexin®), nilutamide (Nilandron®), Xtandi® (enzalutamide), Erleada® (apalutamide), Nubeqa® (darolutamide)
 - o LHRH antagonists: Firmagon[®] (degarelix), Orgovyx[™] (relugolix)

IV. Dosage and Administration

| Indication | Dosing Regimen | Maximum Dose |
|-----------------|---|--|
| Metastatic CRPC | One dose IV over 60 minutes given approximately every 2 weeks for 3 doses | 1 dose approximately every 2 weeks |
| | Each dose contains a minimum of 50 million autologous CD54+ cells activated with PAP-GM-CSF, in 250 ml of Lactated Ringer's Injection | (max 3 doses) |

CLINICAL POLICY Sipuleucel-T



V. Product Availability

Suspension for injection: minimum of 50 million autologous CD54+ cells activated with PAP-GM-CSF, in 250 ml of Lactated Ringer's Injection

VI. References

- 1. Provenge Prescribing Information. Seattle, WA: Dendreon Corporation; July 2017. Available at: http://www.provenge.com/. Accessed January 8, 2024.
- 2. Sipuleucel-T. In: National Comprehensive Cancer Network Drugs and Biologics Compendium. Available at: http://www.nccn.org/professionals/drug_compendium. Accessed January 9, 2024.
- 3. National Comprehensive Cancer Network. Prostate Cancer Version 4.2023. Available at: https://www.nccn.org/professionals/physician_gls/pdf/prostate.pdf. Accessed January 9, 2024.

Coding Implications

Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

| HCPCS Codes | Description |
|----------------|--|
| Q2043 | Suspension of Sipuleucel-T, minimum of 50 million autologous CD54+ cells activated with PAP-GM-CSF, including leukapheresis and all other preparatory procedures, per infusion |

| Reviews, Revisions, and Approvals | Date |
|--|---------|
| 2Q 2019 annual review: references reviewed and updated. | 04/2019 |
| 2Q 2020 annual review: added urologist as prescriber option to criteria; | 04/2020 |
| removed dose quantity restriction from approval duration and added it to | |
| criteria, and modified approval durations to 6 months; added appendix D; | |
| references reviewed and updated. | |
| 2Q 2021 annual review: added that member has no or minimal symptoms | 04/2021 |
| without visceral metastases with greater than 6 months of life expectancy and | |
| an ECOG status of 0 to 1 per NCCN; references reviewed and updated. | |
| 2Q 2022 annual review: added requirement that "member will use a | 04/2022 |
| gonadotropin-releasing hormone (GnRH) analog concurrently or has had a | |
| bilateral orchiectomy" per NCCN and alignment with other prostate cancer | |
| clinical policies; added clarification on approval duration for up to a total of 3 | |
| doses; references reviewed and updated. | |
| 2Q 2023 annual review: no significant changes; updated <i>Appendix D</i> examples | 04/2023 |
| of androgen deprivation therapy per NCCN; clarified <i>estimated</i> life expectancy | |
| of > 6 months requirement consistent with NCCN; references reviewed and | |
| updated. | |

CLINICAL POLICY Sipuleucel-T



| Reviews, Revisions, and Approvals | Date |
|---|---------|
| 2Q 2024 annual review: no significant changes; added adrenal and peritoneal | 04/2024 |
| metastases to list of visceral metastases examples per NCCN; references | |
| reviewed and updated. | |